



Colon Transit & Retention Test



Copyright © 2019, Forward Fitness 360, LLC d/b/a/ Better Beyond 50

All rights reserved. No portion of this book may be used, reproduced or transmitted in any form or by any means, electronic or mechanical, including fax, photocopy, recording or any information storage and retrieval system by anyone but the purchaser for his or her own personal use. This book may not be reproduced in any form without the written permission of the publisher, except by a reviewer who wishes to quote brief passages in connection with a review written for inclusion in a magazine, newspaper or website and has written approval prior to publishing.

BetterBeyond50.com

Professional Advice Disclaimer

The nutrition, exercise, and health information and activities described in this book were developed by the author and are to be used as an adjunct to improved health, fitness, and weight-loss. These programs may not be appropriate for everyone. All individuals, especially those who suffer from any disease or are recovering from any injury, should consult their physicians regarding the advisability of undertaking any of the activities suggested in these programs. The author has been painstaking in her research. However, she is neither responsible nor liable for any harm or injury resulting from this program or the use of the exercises or exercise devices described herein.



Colon Transit & Retention Test

Constipation and diseases of the colon like hemorrhoids, colitis, cancer and auto-toxicity (self-poisoning) are very common in our culture. Many of these problems are associated with the consumption of poor quality food. Studies of primitive cultures have shown a correlation between healthy colons and good overall health to large stools and a normal transit time.

A normal transit time is between 12-24 hours. That is, when you eat something you should be eliminating it 12-24 hours after eating it. Unfortunately, for most people in our culture their transit time is much longer. A longer transit time indicates sub-optimal colon health. A shorter transit time indicates poor absorption and assimilation of food and nutrients. Both conditions are problematic and need to be corrected.

A normal retention time is between 48-55 hours. That means that after eating food, in a healthy digestive system, it should take 48-55 hours to leave the body completely.

A good way to assess your colon health is to do a colon transit and retention test. Follow these three easy steps below:

Step 1: Eat beets with a meal, preferably breakfast. Write down the date and time.

Date (day/month/year)	Time (hour: minutes)

Step 2: Look at your stools each time you have a bowel movement. Document when you **first** see the beets in your stools.

Date (day/month/year)	Time (hour: minutes)

Step 3: Continue to look at your stools each time you have a bowel movement. Document when you **last** see the beets in your stools.

Date (day/month/year)	Time (hour: minutes)